



US00D527481S

(12) **United States Design Patent**  
**Opolka**

(10) **Patent No.:** **US D527,481 S**

(45) **Date of Patent:** **\*\* Aug. 29, 2006**

(54) **FLASHLIGHT**

(75) Inventor: **Rainer Opolka**, Solingen (DE)

(73) Assignee: **Zweibruder Optoelectronics GmbH**, Soligen (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/238,393**

(22) Filed: **Sep. 14, 2005**

(30) **Foreign Application Priority Data**

Mar. 16, 2005 (EM) ..... 000310206-0001

(51) **LOC (8) Cl.** ..... **26-02**

(52) **U.S. Cl.** ..... **D26/49**

(58) **Field of Classification Search** ..... D26/37-50;  
362/157, 158, 171-174, 183-208

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D465,045 S \* 10/2002 Yamamoto et al. .... D26/49

D497,020 S \* 10/2004 Lee ..... D26/49  
D503,007 S \* 3/2005 Duscha et al. .... D26/49  
D510,637 S \* 10/2005 Chan ..... D26/49  
D513,642 S \* 1/2006 Zhang ..... D26/49

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Herbert Dubno

(57) **CLAIM**

The ornamental design for a flashlight, as shown and described.

**DESCRIPTION**

FIG. 1 is a right side elevational view of a flashlight showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a left side elevational view thereof;

FIG. 5 is a top plan view thereof, the bottom plan view being mirror symmetrical thereto;

FIG. 6 is a rear, left-side top perspective view thereof; and,

FIG. 7 is a front, left-side top perspective view thereof.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5




FIG. 6




FIG. 7